

Refine Search

Search Results -

| Term | Documents |
|--|-----------|
| 18.PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 20 |
| (L18).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 20 |

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, December 08, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query
 side by side

Hit Count Set Name
 result set

| | | |
|---|--|------------------------|
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L19</u> | L18 | <u>20</u> <u>L19</u> |
| <u>L18</u> | L13 and (plurality with frequency) | <u>20</u> <u>L18</u> |
| <u>L17</u> | L13 and L2 | <u>2</u> <u>L17</u> |
| <u>L16</u> | L14 | <u>2</u> <u>L16</u> |
| <u>L15</u> | L14 | <u>2</u> <u>L15</u> |
| <u>L14</u> | L13 and L3 | <u>2</u> <u>L14</u> |
| <u>L13</u> | L12 and cavity | <u>133</u> <u>L13</u> |
| <u>L12</u> | L11 and L1 | <u>333</u> <u>L12</u> |
| <u>L11</u> | (magnetic adj resonance) and (dielectric adj constant) | <u>1321</u> <u>L11</u> |
| <u>L10</u> | L9 and L3 | <u>11</u> <u>L10</u> |
| <u>L9</u> | L8 and L2 | <u>51</u> <u>L9</u> |
| <u>L8</u> | L1 and (dielectric adj constant) | <u>15608</u> <u>L8</u> |
| <u>L7</u> | L3 and (plurality with frequency) | <u>7</u> <u>L7</u> |

| | | | |
|-----------|--|--------|-----------|
| <u>L6</u> | "plurality of frequency" | 0 | <u>L6</u> |
| <u>L5</u> | L1 and "plurality of frequency" | 0 | <u>L5</u> |
| <u>L4</u> | L3 and "plurality of frequency" | 0 | <u>L4</u> |
| <u>L3</u> | L2 and cavity | 70 | <u>L3</u> |
| <u>L2</u> | L1 and (spatial adj information) | 424 | <u>L2</u> |
| <u>L1</u> | ((electromagnetic adj radiation) or (microwave)) | 246143 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Term | Documents |
|---|-----------|
| MEASUREMENT | 972703 |
| MEASUREMENTS | 453618 |
| DIELECTRIC | 485573 |
| DIELECTRICS | 29792 |
| CONSTANT | 1943663 |
| CONSTANTS | 153462 |
| (5 AND ((MEASUREMENT ADJ DIELECTRIC) ADJ CONSTANT)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 6 |
| (L5 AND (MEASUREMENT ADJ DIELECTRIC ADJ CONSTANT)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 6 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Thursday, December 09, 2004 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit Set
Count Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L7 L5 and (measurement adj dielectric adj constant)

6 L7

L6 L5 and "measurement of dielectric constant"

0 L6

L5 L2 and ((dielectric adj constant) with (measur\$5))

196 L5

| | | | |
|-----------|---|------|-----------|
| <u>L4</u> | L3 and ((dielectric adj constant) with (measur\$5)) | 33 | <u>L4</u> |
| <u>L3</u> | L2 and (electromagnetic adj radiation) | 157 | <u>L3</u> |
| <u>L2</u> | L1 and (magnetic adj resonance) | 1327 | <u>L2</u> |
| <u>L1</u> | (dielectric adj constant) and ((electromagnetic adj radiation) or (magnetic adj resonance)) | 4560 | <u>L1</u> |

END OF SEARCH HISTORY